# Brand Guidelines

# Spectra Logic Corporation

3 July 2024







### Contents

#### • Brand Identity Components


- Name
- Logo
- Favicon
- Colors
- Typography
- Iconography
- Photography
- Product Names
- Product Badges
- Trademarks



# **Brand Identity Components**

This section outlines the key visual and written elements of the Spectra Logic brand and provides guidance on how to use these elements to maintain brand consistency.





## Brand Name

Full legal name:

Shortened name: Spectra Logic

Used name: Spectra used in text.

#### Spectra Logic Corporation Used in legal documents and company registrations.

Used as an initial introduction to the company in text and then can be referred to as Spectra.

The shortened use of the company name, used after Spectra Logic Corporation or Spectra Logic has been



# Spectra Logo

#### The logo is constructed of the colorized swoosh and the Spectra text. These elements are not to be separated.





# Spectra Logo Variations

There are two primary logos, designed to be displayed on a light or dark background. In some cases, the use of a single-color logo may be required, if so, then use the all black or white logo.







# Spectra Logo Exclusion Zone

We've designed the exclusion zone that stops other elements from interfering with the Spectra logo. No text or graphic should appear within the exclusion zone where possible.





# Spectra Logo In Use

the Spectra logo.













2. Do not remove the swoosh from the logo



1. Do not recolor the logo

# Here are some general rules when using

#### Please don't alter our logo's shape, proportion, color, or orientation.



1. Do not stretch or distort the logo



4. Do not use the black Spectra text on a dark background



# Favicon Logo In Use

specific purpose.

#### The stand-alone favicon is used in limited ways and should only be used when approved by Marketing for a





# Brand Colors

## **Primary Colors**

| HEX: 7A68AE     | HEX: 5D87A1     | HEX: 9EA374     | HEX: FFD24F     |  |
|-----------------|-----------------|-----------------|-----------------|--|
|                 |                 |                 |                 |  |
| • H: 254°       | ● H: 201°       | • H: 66°        | • H: 43°        |  |
| ○ S: 40%        | ○ S: 41%        | <b>S:</b> 28%   | ○ S: 69%        |  |
| O B: 68%        | ○ B: 63%        | OB: 63%         | OB: 100%        |  |
| OR: 122 C: 59%  | ○ R: 93 C: 42%  | OR: 158 C: 9%   | ○ R: 255 C: 0%  |  |
| ◯ G: 104 M: 66% | OG: 135 M: 8%   | OG: 163 M: 0%   | ◯ G: 210 M: 17% |  |
| OB: 174 Y: 0%   | OB: 161 Y: 0%   | OB: 116 Y: 43%  | OB: 79 Y: 80%   |  |
| # 7a68ae K: 0%  | # 5d87a1 K: 40% | # 9ea374 K: 38% | # ffd24f K: 0%  |  |

### **Secondary Colors**

| HEX: 89CBF0            | HEX: 0E3E63     | HEX: 08556F     | HEX: B5121B     |  |
|------------------------|-----------------|-----------------|-----------------|--|
|                        |                 |                 |                 |  |
| • H: 200°              | • H: 206°       | • H: 194°       | O H: 355°       |  |
| ○ S: 42%               | ○ S: 85%        | O S: 92%        | ○ S: 89%        |  |
| ○ B: 94%               | O B: 38%        | OB: 43%         | OB: 70%         |  |
| OR: 137 C: 43%         | OR: 14 C: 100%  | OR: 8 C: 94%    | OR: 181 C: 0%   |  |
| ◯ <b>G</b> : 203 M: 6% | OG: 62 M: 78%   | O G: 85 M: 60%  | OG: 18 M: 100%  |  |
| OB: 240 Y: 0%          | OB: 99 Y: 37%   | OB: 111 Y: 39%  | OB: 27 Y: 96%   |  |
| # 89cbf0 K: 0%         | # 0e3e63 K: 25% | # 08556f K: 20% | # b5121b K: 28% |  |

## **Logo Colors**

| HEX: 7A68AE   | HEX: 5D87A1  | HEX: 9EA374   | HEX: FFD24F  |  |
|---|--|---|--|--|
| <ul> <li>H: 254°</li> <li>S: 40%</li> <li>B: 68%</li> </ul>   | <ul> <li>♥ H: 201°</li> <li>○ S: 41%</li> <li>○ B: 63%</li> </ul>  | • H: 66°<br>• S: 28%<br>• B: 63%  | • H: 43°<br>• S: 69%<br>• B: 100%  |  |
| R:         122         C:         59%           G:         104         M:         66%           B:         174         Y:         0%           #         7a68ae         K:         0% | R:       93       C:       42%         G:       135       M:       8%         B:       161       Y:       0%         #       5d87a1       K:       40% | R:       158       C:       9%         G:       163       M:       0%         B:       116       Y:       43%         #       9ea374       K:       38% | <ul> <li>○ R: 255</li> <li>○ G: 210</li> <li>M: 17%</li> <li>○ B: 79</li> <li>Y: 80%</li> <li># ffd24f</li> <li>K: 0%</li> </ul> |  |

#### **HEX: 0E3E63**

| •н:   | 206° |    |      |
|-------|------|----|------|
| ⊖ s:  | 85%  |    |      |
| () В: | 38%  |    |      |
| () R: | 14   | C: | 100% |
| () G: | 62   | M: | 78%  |
| () В: | 99   |    | 37%  |
| # 0e3 | 3e63 | К: | 25%  |

#### **HEX: 89CBF0**

| • н: | 200° |    |     |
|------|------|----|-----|
| ⊖ s: | 42%  |    |     |
| ⊖ В: | 94%  |    |     |
| ⊖ R: | 137  |    | 43% |
| ⊖ G: | 203  | M: | 6%  |
| ⊖ в: | 240  |    | 0%  |
| # 89 | bf0  |    | 0%  |

#### HEX: 999999

| • н:  | 194° |    |     |
|-------|------|----|-----|
| ⊖ s:  | 0%   |    |     |
| () В: | 60%  |    |     |
| () R: | 153  | C: | 43% |
| () G: | 153  | M: | 35% |
| () В: | 153  |    | 35% |
| # 999 | 9999 | К: | 1%  |

#### HEX: 373B46 • H: 223° ○S: 21% OB: 27% R: 55 C: 76% M: 67% K: 45% # 373b46

#### **HEX: E58E1A**

| •н:   | 33°  |    |      |
|-------|------|----|------|
| ⊖ s:  | 88%  |    |      |
| () В: | 89%  |    |      |
| ⊖ R:  | 229  | C: | 0%   |
| () G: | 142  | M: | 47%  |
| () В: | 26   |    | 100% |
| # e5  | 8ela | K: | 8%   |

#### HEX: B5121B • H: 355° OS: 89% OB: 709 : 96%

# **D** 00

# Typography

# Montserrat

#### Primary Typeface

Monserrat is our brand typeface. The style is purposeful yet warm. It has a strong focus yet feels soft due to its round form.

Modern and Geometric: Montserrat features a modern and geometric design, with clean lines and a contemporary feel. It is inspired by the urban typography found in the signage of the Montserrat neighborhood in Buenos Aires. Extra Light Light Medium Semibold Extra Bold Black



# **D**

# Website Typography

# Inter Tight

#### Website Typeface

Inter: Designed specifically for better readability on screens. It has a modern and clean appearance, making it suitable for user interfaces and digital content.





Read More -



#### Data Management Software

managing your storage workflows simpler, faster and more cost-effective. Our software unifies data access across clouds, automates digital preservation and transparently accelerates large file transfers

#### Multi-Cloud Object Management

Seamlessly unify & manage object access across on-prem & public clouds with Spectra Vail® software



Automate digital preservation to disk. tape & cloud with StorCvcle® software.

Pead More -



#### High-Performance Data Mover

Supercharge file transfers & streamline media workflows with RioBroker® software.

Read More →



### Iconography

Spectra's icon library has been developed to communicate various features and concepts across marketing materials and product interfaces, while keeping a clean look and feel.







## Photography







Spectra uses a Colorado mountain theme in our imagery that not only pays homage to our home state, but also serves as a powerful symbol of the reliability and strength of our storage solutions. Just as the Rocky Mountains stand strong and unwavering, so too does Spectra's commitment to delivering top-notch storage options that you can trust.

The imagery does not depict any manmade features. The Photo library is available from the Marketing team.







# Product Names & Branding

- For example:

  - File & Object Storage
  - Tape Libraries
    - TFinity Plus, Spectra T950, Spectra Cube, Spectra Stack

• The company categorizes products into generic industry categories and uses product brand names to support the customer's journey.

- Data Management Software
  - Multi-Cloud Object Management
    - Spectra Vail
  - BlackPearl S3 Hybrid Cloud Storage

#### • No Logos for product names are used



# Product Sababact

# Spectra Product Names

Always use full product names and trademarks with the first prominent usage in a document. On subsequent product references in the same document, it is fine to use the shortened version without using Spectra or the trademark symbol.

Always write the T next to the number with no space like this: T950.

**Do NOT** place a hyphen between the T and the number like this: T-950.



# Solution Q 00

# Spectra Product & Solution Names

#### Data Management Software:

- Multi-Cloud Object Management -٠ Spectra Vail
- Active & Long-Term Archive -٠ StorCycle
- High-Performance Mover -• RioBroker

#### File & Object Storage:

- Hybrid Cloud Storage ٠ **BlackPearl S3**
- BlackPearl Nearline Media ٠ Gateway
- BlackPearl Network-Attached • Storage (NAS)

#### **Spectra Solutions**

- Spectra Object-Based Tape ٠
- Spectra Digital Archive ٠
- Spectra Media Archive ٠

#### Tape Storage:


- Tape Libraries: •
  - **TFinity Plus**
  - Spectra T950
  - Spectra Cube
  - Spectra Stack •
- Tape Drive Technology •
  - LTO-9, LTO-8, LTO-7, TS1170, TS1160, TS1155
- Tape Media ٠
  - Spectra Certified Media
    - LTO-9, LTO-8, LTO-7 Type M, • LTO-7 Single TS1170, TS1160, TS1155
  - Media Lifecycle Management ٠
  - TeraPacks



# Use of old product badges

and icons.

BlueScale



#### The company is no longer actively using old product badges and corporate services logos

# Σ

# **Registered Marks & Trademarks**

Spectra Logic holds many trademarks, and communicating these marks is an important part of preserving Spectra's overall brand essence and message of innovation. When communicating Spectra's products and features, it is important to phrase any registered and trademarked names accurately in the proper grammatical context.

Trademarks are actively managed and posted at www.spectralogic.com/trademarks

| Wordmark           | Status          | International Class | U.S. Class(es)          | U.S. Serial Number | U.S. Registration Number | Owners                    |
|--------------------|-----------------|---------------------|-------------------------|--------------------|--------------------------|---------------------------|
| <b>ARCTICBLUE®</b> | Live Registered | 009                 | 021, 023, 026, 036, 038 | 86686759           | 5459401                  | Spectra Logic Corporation |
| <b>BLACKPEARL®</b> | Live Registered | 009                 | 021, 023, 026, 036, 038 | 86074396           | 4773492                  | Spectra Logic Corporation |
| BLUESCALE®         | Live Registered | 009                 | 021, 023, 026, 036, 038 | 78534298           | 3094346                  | Spectra Logic Corporation |
| RioBroker®         | Live Registered | 009                 | 021, 023, 026, 036, 038 | 88344603           | 6059875                  | Spectra Logic Corporation |
| SPECTRA CUBE™      | Live Pending    | 009                 | 021, 023, 026, 036, 038 | 98232863           |                          | Spectra Logic Corporation |
| SPECTRA LOGIC®     | Live Registered | 009                 | 021, 023, 026, 036, 038 | 75591623           | 2463182                  | Spectra Logic Corporation |
| SPECTRA VAIL®      | Live Registered | 009                 | 021, 023, 026, 036, 038 | 88949730           | 6297018                  | Spectra Logic Corporation |
| SPECTRA®           | Live Registered | 009                 | 021, 023, 026, 036, 038 | 76376485           | 2801027                  | Spectra Logic Corporation |
| SPECTRAGUARD®      | Live Registered | 042                 | 100, 101                | 78226278           | 2911723                  | Spectra Logic Corporation |
| StorCycle®         | Live Registered | 009                 | 021, 023, 026, 036, 038 | 88373345           | 5974111                  | Spectra Logic Corporation |
| TERAPACK®          | Live Registered | 009                 | 021, 023, 026, 036, 038 | 78186174           | 2809508                  | Spectra Logic Corporation |
| TFINITY®           | Live Registered | 009                 | 021, 023, 026, 036, 038 | 86539787           | 4957110                  | Spectra Logic Corporation |
| TRANSCALE®         | Live Registered | 009                 | 021, 023, 026, 036, 038 | 77279644           | 3673631                  | Spectra Logic Corporation |

